

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 001

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
82252-59295	59295A	BHO-0782(186)	KK1796	BHO 82252	Bridge Reconstruction
	59296A	BHI-0782(187)	KK1797	BHI 82251	Bridge Reconstruction
	59297A	IM-0782(188)	KK1798	IM 82251	Bridge Reconstruction
	79138A	IM-0782(182)	KK1791	IM 82251	Preventive Maintenance
	83123A	IMG-0782(183)	JJ2885	IMG 82252	Traffic Operations
	84015A	State	State	M 82251	Miscellaneous
	88835A	IM-0782(189)	KK1799	IM 82252	Preventive Maintenance

  

	LOCATION	ROUTE
59295A	I-75 in Detroit and Hamtramck	I-75
59296A	I-75 in Detroit	I-75
59297A	I-75 in Wayne County	I-75
79138A	I-75 NB from I-375 to South of Piquette	I-75
83123A	I-75 Wayne County	I-75
84015A	Approx. 150 feet South of Mack Ave.	I-75
88835A	I-75 in Wayne County	I-75

DESCRIPTION: Bridge rehabilitation work on 24 bridges including hot mix asphalt overlay, deck replacement, minor widening, beam end repair, pier replacement, substructure repair, joint replacement, pin and hanger replacement, shallow concrete overlay, painting of fascia beams, painting and partial painting of steel bearings, epoxy overlay, crack sealing, concrete pavement repair, removal of weigh-in-motion scales, pedestrian fence replacement and approach work on I-75 from Elizabeth Street northerly to 8 Mile Road (M-102) in the cities of Detroit and Hamtramck, Wayne County. This project includes a two year bridge painting warranty.

## CLASSIFICATION RATINGS

Misc = 15.389 %	N2 = 0.024 %	J = 1.082 %	Ea = 1.172 %	N93B = 0.149 %
K = 0.375 %	N94B = 0.046 %	N93A = 0.017 %	Cb = 0.214 %	B = 2.691 %
N93F = 0.008 %	Ba = 0.525 %	N93E = 0.304 %	N93E = 0.304 %	Fa = 27.990 %
N91B = 2.380 %	N96L = 0.079 %	N96M = 2.019 %	N6 = 5.790 %	L = 7.078 %

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE:

2

LETTING DATE: 071102

CALL: 001

N3 = 0.160 %

I = 0.023 %

N95D = 0.372 %

Fb = 4.654 %

N91A = 8.995 %

N91C = 1.616 %

N91F = 0.268 %

N4 = 16.570 %

CURRENT DBE GOAL: 12.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE:

1

LETTING DATE: 071102

CALL: 002

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
11400-87670	87670A	CMG 0711(341)	JJ2845	CMG 11400	Miscellaneous
	87671A	CMG 0711(342)	JJ2846	CMG 11400	Miscellaneous

	LOCATION	ROUTE
87670A	Napier Avenue from Langley Street to Crystal Avenue in Berrien County	
87671A	Pipestone Road from US-31 to Napier Avenue in Berrien County	

DESCRIPTION: Signal optimization including wireless interconnect and re-timing at 11 locations on Napier Avenue from Langley Street to Crystal Avenue and on Pipestone Road from US-31 to Napier Avenue, Berrien County

CLASSIFICATION RATINGS

Misc = 18.346 %      L      = 81.653 %

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 003

PROPOSAL 50458-100713	PROJECTS 100713A	FEDERAL NUMBER STP 0750(055)	FED ITEM HH5179	CTR. SEC. STU 50458	WORK TYPE Bridge Rehabilitation
100713A	LOCATION 12 Mile Road from Gratiot Avenue to Harper Avenue				ROUTE

DESCRIPTION: 1.51 mi of hot mix asphalt cold milling and resurfacing,  
concrete pavement repairs, and concrete curb and gutter on  
12 Mile Road from Gratiot Avenue to Harper Avenue in the  
cities of Roseville and St. Clair Shores, Macomb County.

CLASSIFICATION RATINGS

Misc = 14.220 %	J = 3.116 %	Ea = 0.758 %	N94B = 0.433 %	K = 5.023 %
N93G = 7.902 %	Cb = 47.791 %	Ba = 18.154 %	N3 = 2.599 %	

CURRENT DBE GOAL: 5.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 004

PROPOSAL 82457-101221	PROJECTS 101221A	FEDERAL NUMBER STP 0782(181)	FED ITEM HH5191	CTR. SEC. STU 82457	WORK TYPE Resurfacing
101221A		LOCATION Toledo Road from North Line Road to Goddard Road			ROUTE

DESCRIPTION: 1.04 mi of hot mix asphalt road resurfacing and paving including cold milling, structure adjustments, concrete curb, gutter, sidewalk and sidewalk ramps, concrete curb capping, guardrail, and pavement markings on Toledo Road from North Line Road to Goddard Road (Moran Avenue) in the cities of Lincoln Park and Southgate, Wayne County.

CLASSIFICATION RATINGS

Misc = 10.221 %	J = 5.287 %	Ea = 0.409 %	N94B = 0.272 %	K = 2.733 %
Cb = 69.858 %	B = 0.236 %	Ba = 2.947 %	N96L = 1.090 %	N6 = 0.576 %
N3 = 2.143 %	I = 0.072 %	Fb = 0.067 %	N91A = 1.697 %	N91C = 2.384 %

CURRENT DBE GOAL: 10.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 005

PROPOSAL 63023-83916	PROJECTS 83916A	FEDERAL NUMBER BRT 0763(104)	FED ITEM RR6073	CTR. SEC. BRT 63023	WORK TYPE Bridge Reconstruction
83916A	LOCATION Cass Lake Road at Clinton River				ROUTE

DESCRIPTION: Bridge removal and replacement along with storm sewer and  
watermain work, hot mix asphalt paving, and guardrail on  
Cass Lake Road at Clinton River, Oakland County.

CLASSIFICATION RATINGS

Misc = 14.645 %	J = 2.693 %	Ea = 22.770 %	K = 2.752 %	N94B = 0.132 %
Cb = 7.622 %	N96L = 1.275 %	N96M = 0.460 %	N6 = 0.009 %	N3 = 0.345 %
I = 0.098 %	L = 0.304 %	Fa = 31.762 %	Fa = 31.762 %	Ba = 0.112 %
N95C = 9.753 %	Fb = 3.359 %	N91B = 49.850 %		

CURRENT DBE GOAL: 10.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 006

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
32555-57978	57978A	STP 0732(022)	RR6083	EDDF 32555	Resurfacing
57978A		LOCATION Atwater Road from M-53 easterly to the west village limit of Ubly			ROUTE

DESCRIPTION: 7.75 mi of hot mix asphalt resurfacing, cold milling,  
aggregate shoulders, and pavement marking on Atwater Road  
from M-53 easterly to the west village limit of Ubly, Huron  
County.

CLASSIFICATION RATINGS

Misc = 6.346 %      Ea = 8.927 %      N93A = 1.145 %      Cb = 82.770 %      N3 = 0.809 %

CURRENT DBE GOAL: 3.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 007

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
82457-100783	100783A	STP 0782(146)	HH5116	STU 82457	Resurfacing
	100785A	STP 0782(145)	HH5115	STU 82457	Resurfacing

	LOCATION	ROUTE
100783A	Hubbard Drive from Evergreen Road to Southfield Freeway	
100785A	Mercury Drive from Hubbard Drive to Ford Road	

DESCRIPTION: 1.32 mi of hot mix asphalt resurfacing and cold milling, concrete curb and gutter, sidewalk ramps, drainage structure adjustments and pavement markings on Hubbard Drive from Evergreen Road to Southfield Freeway and on Mercury Drive from Hubbard Drive to Ford Road, Wayne County.

## CLASSIFICATION RATINGS

Misc = 12.513 %	J = 7.588 %	Ea = 0.878 %	K = 6.631 %	N93A = 0.303 %
Cb = 62.767 %	B = 0.937 %	Ba = 5.036 %	N6 = 1.879 %	N3 = 1.318 %
I = 0.144 %				

CURRENT DBE GOAL: 5.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 008

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
25400-100385	100385A	CMG 0725(097)	JJ2869	CMG 25400	Miscellaneous
100385A		LOCATION 19 locations in the city of Flint			ROUTE

DESCRIPTION: Traffic and pedestrian signal upgrades, wireless signal interconnect, and ADA sidewalk ramps at 19 locations in the city of Flint, Genesee County.

CLASSIFICATION RATINGS

Misc = 15.367 %	Ea = 0.663 %	K = 3.350 %	N94B = 0.082 %	Ka = 0.501 %
Cb = 0.552 %	B = 1.843 %	Ba = 0.537 %	J = 6.362 %	L = 70.673 %
I = 0.065 %				

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 009

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
84916-80653	80653A	NHG 0784(099)	JJ2884	NHG 84916	Traffic Operations
	88337A	STPG 0784(109)	JJ2907	STG 84916	Traffic Operations

	LOCATION	ROUTE
80653A	US-127 from south of I-94 to the Jackson/Ingham county li and US-127 at US-223	US-127
88337A	US-127 from south of Floyd Avenue to I-94	US-127

DESCRIPTION: 17.63 mi of freeway signing upgrades and cantilever  
installation on US-127 from south of I-94 to the  
Jackson/Ingham County line, at US-223, and from  
south of Floyd Avenue to I-94, Jackson and Lenawee  
Counties.

CLASSIFICATION RATINGS

Misc = 13.156 %      J = 0.799 %      Ea = 0.230 %      N95D = 3.806 %      N96L = 6.316 %  
N6 = 75.054 %      I = 0.636 %

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 010

PROPOSAL 04425-89552	PROJECTS 89552A	FEDERAL NUMBER STP 0704(010)	FED ITEM RR6124	CTR. SEC. STUL 04425	WORK TYPE Resurfacing
89552A	LOCATION Various city streets : Carter Street, River Street, Water Street .....				ROUTE

DESCRIPTION: 0.75 mi of concrete pavement removal, hot mix asphalt  
cold milling and resurfacing, concrete curb and gutter,  
sidewalks, and miscellaneous storm sewer work in the  
city of Alpena, Alpena County.

CLASSIFICATION RATINGS

Misc = 17.203 %	J = 22.472 %	Ea = 20.529 %	K = 5.937 %	N93A = 5.563 %
Cb = 23.844 %	B = 3.296 %	N3 = 0.673 %	I = 0.478 %	

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 011

PROPOSAL 70414-84360	PROJECTS 84360A	FEDERAL NUMBER STP 0770(031)	FED ITEM HH5135	CTR. SEC. STUL 70414	WORK TYPE Roadside Reconstruction
84360A	LOCATION Riley Street from Beeline Road to east of 120th Street				ROUTE

DESCRIPTION: 0.80 mi of hot mix asphalt road reconstruction including storm sewer, drainage structures, concrete curb and gutter, hot mix asphalt paving and pavement markings on Riley Street from Beeline Road to east of 120th Street, Ottawa County.

CLASSIFICATION RATINGS

Misc = 16.158 %	N2 = 0.057 %	J = 7.111 %	Ea = 16.135 %	K = 15.088 %
N94B = 0.269 %	Ka = 0.061 %	N93A = 0.717 %	Cb = 40.742 %	B = 0.024 %
Fa = 2.943 %	N96L = 0.040 %	N3 = 0.293 %	N3 = 0.293 %	I = 0.354 %

CURRENT DBE GOAL: 10.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 012

PROPOSAL 82457-101257	PROJECTS 101257A	FEDERAL NUMBER STP 0782(178)	FED ITEM HH5178	CTR. SEC. STU 82457	WORK TYPE Bridge Rehabilitation
101257A	LOCATION Schafer Road from West Jefferson Avenue to Detroit City limits				ROUTE

DESCRIPTION: 0.47 mi of hot mix asphalt road resurfacing including cold milling, base repair, concrete curb cap, sidewalk, sidewalk ramps and barrier, hot mix asphalt paving, and pavement markings on Schafer Road from West Jefferson Avenue to the Detroit City limits, Wayne County.

## CLASSIFICATION RATINGS

Misc = 25.555 %	J = 7.233 %	Ea = 2.235 %	K = 5.322 %	Cb = 48.001 %
B = 0.474 %	Ba = 2.177 %	N91A = 0.558 %	N91C = 1.937 %	Fa = 1.480 %
N96M = 2.068 %	N6 = 0.505 %	N3 = 2.083 %	N3 = 2.083 %	I = 0.365 %

CURRENT DBE GOAL: 5.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE:

1

LETTING DATE: 071102

CALL: 013

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
14031-87807	87807A	CMG 0714(014)	JJ2859	CMG 14031	Traffic Operations
	90379A	CM 0714(012)	RR5964	CM 14400	Miscellaneous
		LOCATION	ROUTE		
87807A		M-62 at Redfield Road	M-62		
90379A		Redfield Street intersection at M-62			

DESCRIPTION: Case sign, digital loop detector salvage, video traffic detection system, bracket truss, curb and gutter, cold milling, hot mix asphalt paving, and pavement marking at the intersection of M-62 and Redfield Street, Cass County.

## CLASSIFICATION RATINGS

Misc = 18.239 %	J = 6.969 %	Ea = 9.993 %	K = 0.344 %	N93A = 3.497 %
Cb = 32.668 %	Ba = 0.361 %	N6 = 0.475 %	L = 25.741 %	N3 = 1.367 %
I = 0.341 %				

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 014

PROPOSAL 68135-100711	PROJECTS 100711A	FEDERAL NUMBER HPSL 0768(010)	FED ITEM RR6063	CTR. SEC. HPSL 68135	WORK TYPE Roadside Reconstruction
100711A	LOCATION Valley Road from Howard Road easterly to M-33				ROUTE

DESCRIPTION: 4.25 mi of road reconstruction with aggregate surface,  
earthwork, aggregate base, subbase, drainage, guardrail, and  
slope restoration on Valley Road from Howard Road easterly  
to M-33, Oscoda County.

CLASSIFICATION RATINGS

Misc = 8.091 %	Ea = 81.190 %	N92D = 0.041 %	N94B = 0.033 %	J = 0.069 %
N96L = 0.987 %	N96M = 0.062 %	I = 0.020 %	H = 9.504 %	

CURRENT DBE GOAL: 5.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE:

1

LETTING DATE: 071102

CALL: 015

PROPOSAL 73555-39446	PROJECTS 39446A	FEDERAL NUMBER STP 0773(033)	FED ITEM RR6110	CTR. SEC. EDDF 73555	WORK TYPE Road Rehabilitation
39446A	LOCATION Beyer Road between Willard Road and Burt Road			ROUTE	

DESCRIPTION: 0.81 mi of hot mix asphalt road reconstruction, machine grading, base crushing and shaping, aggregate shoulders, storm sewer, pavement marking, and slope restoration on Beyer Road between Willard Road and Burt Road, Saginaw County.

CLASSIFICATION RATINGS

Misc = 10.286 %	Ea = 27.302 %	N92D = 1.812 %	N94B = 0.630 %	K = 22.876 %
Cb = 28.794 %	N6 = 0.141 %	N3 = 1.787 %	I = 6.367 %	

CURRENT DBE GOAL: 10.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 016

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
25402-100779	100779A	STP 0725(110)	RR6139	STL 25402	Bridge Rehabilitation
100779A	LOCATION West Hegel Road from 800 feet west of Ridge Road to 100 f east of Seneca Road				ROUTE

DESCRIPTION: 0.27 mi of hot mix asphalt reconstruction including pavement removal, earth excavation, aggregate base, concrete curb and gutter, storm sewer, permanent pavement markings and signing on West Hegel Road from west of Ridge Road to east of Seneca Road in the village of Goodrich, Genesee County.

CLASSIFICATION RATINGS

Misc = 19.953 %	J = 11.047 %	Ea = 24.169 %	K = 20.355 %	N94B = 0.853 %
N93A = 0.353 %	Cb = 20.375 %	B = 0.102 %	N6 = 0.488 %	N3 = 1.511 %
I = 0.789 %				

CURRENT DBE GOAL: 10.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE:

1

LETTING DATE: 071102

CALL: 017

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
50458-101125	101125A	STP 0750(045)	HH5112	STU 50458	Bridge Rehabilitation
101125A		LOCATION 13 Mile Road from Greater Mack to Jefferson Avenue			ROUTE

DESCRIPTION: 0.67 mi of removal and replacement of concrete pavement patches and sidewalk ramps and placement of permanent pavement markings on 13 Mile Road from Greater Mack Avenue to Jefferson Avenue in the city of St. Clair Shores, Macomb County.

CLASSIFICATION RATINGS

Misc = 5.853 %	Ea = 9.252 %	K = 4.914 %	B = 1.862 %	N93D = 18.004 %
Ba = 58.457 %	J = 0.610 %	N3 = 0.375 %	I = 0.670 %	

CURRENT DBE GOAL: 5.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 018

PROPOSAL 24555-35455	PROJECTS 35455A	FEDERAL NUMBER STP 0724(316)	FED ITEM RR6076	CTR. SEC. EDDF 24555	WORK TYPE Resurfacing
35455A	LOCATION Intertown Road from Resort Pike Road easterly to US-131			ROUTE	

DESCRIPTION: 1.38 mi of hot mix asphalt resurfacing, base crushing and  
shaping, aggregate shoulders, and guardrail on Intertown  
Road from Resort Pike Road easterly to US-131, Emmet County.

CLASSIFICATION RATINGS

Misc = 14.779 %	Ea = 11.900 %	N92D = 6.758 %	Cb = 50.595 %	J = 3.460 %
N96L = 11.269 %	N3 = 0.958 %	I = 0.278 %		

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 019

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
81041-86793	86793A	IMG 0781(037)	JJ2881	IMG 81041	Traffic Operations
86793A		LOCATION Jackson Road and Fletcher Road at the entrance ramp to westbound I-94 and westbound I-94 in advance of exit 186			ROUTE I-94

DESCRIPTION: Cantilever upgrades on Jackson Road and Fletcher Road at the entrance ramp to westbound I-94 and on westbound I-94 in advance of exit 186, Washtenaw County.

CLASSIFICATION RATINGS

Misc = 25.543 %      Ea = 0.806 %      N96L = 5.268 %      N6 = 67.724 %      I = 0.656 %

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 020

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
75052-100476	100476A	STP 0775(005)	HH5193	STT 75052	Preventive Maintenance
100476A		LOCATION	ROUTE		
		M-77 from north of M-28 north to north of County Road 451	M-77		

DESCRIPTION: 11.26 mi of overband crack fill and double chip seal on M-77 from north of M-28 northerly to north of County Road 451, Schoolcraft County. This project includes a 2 year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 10.186 %      N93E = 8.636 %      Ca = 78.136 %      N3 = 3.040 %

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 021

PROPOSAL 72023-90232	PROJECTS 90232A	FEDERAL NUMBER STP 0772(214)	FED ITEM HH5227	CTR. SEC. STT 72023	WORK TYPE Preventive Maintenance
90232A	LOCATION M-55 from Kelly Street east to west of Old M-55				ROUTE M-55

DESCRIPTION: 5.66 mi of overband crack filling and single chip seal on M-55 from Kelly Street easterly to west of Old M-55, Roscommon County. This project includes a 2 year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 11.744 %      N93E = 11.419 %      Ca = 72.537 %      N3 = 4.298 %

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 022

PROPOSAL 39609-90179	PROJECTS 90179A	FEDERAL NUMBER HRRR 0739(040)	FED ITEM RR6094	CTR. SEC. HRRR 39609	WORK TYPE Safety Operations
90179A	LOCATION VW Avenue from 14th Street to 18th Street				ROUTE

DESCRIPTION: 1.77 mi of shoulder trenching and widening, aggregate base,  
hot mix asphalt paving, drainage improvements, tree removal,  
and permanent signing upgrades on VW Avenue from 14th  
Street to 18th Street, Kalamazoo County.

CLASSIFICATION RATINGS

Misc = 12.330 %	Ea = 39.162 %	N94B = 0.116 %	K = 2.282 %	N93A = 0.150 %
Cb = 38.810 %	J = 2.083 %	N6 = 0.776 %	N3 = 2.086 %	I = 2.202 %

CURRENT DBE GOAL: 5.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 023

PROPOSAL 41401-100566	PROJECTS 100566A	FEDERAL NUMBER STP 0741(062)	FED ITEM HH5057	CTR. SEC. STU 41401	WORK TYPE Roadside Reconstruction
100566A	LOCATION West River Drive from Semrick Avenue to Jupiter Avenue				ROUTE

DESCRIPTION: 0.79 mi of concrete curb and gutter, storm sewer, hot mix  
asphalt paving and pavement markings on West River Drive  
from Samrick Avenue to Jupiter Avenue, Kent County.

CLASSIFICATION RATINGS

Misc = 14.353 %	J = 10.651 %	Ea = 19.008 %	K = 7.095 %	N94B = 0.102 %
Ka = 0.142 %	N93A = 3.662 %	Cb = 43.029 %	B = 0.048 %	N96L = 0.852 %
N3 = 0.461 %	I = 0.592 %			

CURRENT DBE GOAL: 5.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
 COST SUMMARIES FOR PRIMES  
 COST SUMMARY BY LETPROP(PES)  
 STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 024

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
25402-87262	100987A	STP 0725(096)	RR6042	STU 25402	Bridge Rehabilitation
	87262A	HPSL 0725(099)	RR6097	HPSL 25402	Resurfacing
	87266A	HPSL 0725(103)	YY0349	EDCF 25402	Roadside Reconstruction

  

	LOCATION	ROUTE
100987A	Miller Road from I-75 to Ballenger Highway	
87262A	Miller Road from Linden Road to Ketzler Drive	
87266A	Miller Road from Ketzler Drive to I-75	

DESCRIPTION: 2.26 mi of hot mix asphalt road reconstruction including pavement removal, concrete curb and gutter, storm sewer, drainage structures, hot mix asphalt paving, guardrail, traffic signal installation and pavement markings on Miller Road from Linden Road to Ketzler Drive, from Ketzler Drive to I-75, and from I-75 to Ballenger Highway, Genesee County.

## CLASSIFICATION RATINGS

Misc = 21.295 %	Ea = 21.066 %	K = 12.993 %	N94B = 0.102 %	Ka = 0.080 %
Cb = 32.522 %	B = 0.027 %	J = 5.787 %	N96L = 0.123 %	N6 = 0.617 %
N3 = 0.650 %	I = 0.998 %	L = 3.736 %	L = 3.736 %	

CURRENT DBE GOAL: 10.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 025

PROPOSAL 05051-90185	PROJECTS 90185A	FEDERAL NUMBER STP 0705(007)	FED ITEM HH5207	CTR. SEC. STT 05051	WORK TYPE Preventive Maintenance
90185A	LOCATION M-66 from north of Old State Road north to M-32.			ROUTE M-66	

DESCRIPTION: 6.23 mi of hot mix asphalt cold milling and resurfacing  
on M-66 from north of Old State Road northerly to M-32 in  
the city of East Jordan, Antrim and Charlevoix Counties.  
This project includes a three year pavement performance  
warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 12.103 %      Ea = 3.169 %      N93A = 13.529 %      Cb = 66.223 %      N3 = 4.930 %  
I = 0.042 %

CURRENT DBE GOAL: 3.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 026

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
73021-84129	84129A	N/A	N/A	M 73021	Roadside Facilities
84129A		LOCATION Southeast Quadrant M-47/Garfield Road and Northwest Quadrant M-52/M-57			ROUTE M-47 M-52

DESCRIPTION: Hot mix asphalt paving, grading, and miscellaneous work for existing gravel carpool parking lots on M-47 at Garfield Road, southeast quadrant, and M-52 at M-57, northwest quadrant, Saginaw County.

CLASSIFICATION RATINGS

Misc = 20.184 %	Ea = 16.666 %	Cb = 57.150 %	J = 4.455 %	N6 = 0.255 %
N3 = 1.239 %	I = 0.048 %			

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE:

1

LETTING DATE: 071102

CALL: 027

PROPOSAL 21008-86392	PROJECTS 86392A	FEDERAL NUMBER BRO 0721(318)	FED ITEM RR6095	CTR. SEC. BRO 21008	WORK TYPE Bridge Reconstruction
86392A	LOCATION County Road A 26 at the Ford River				ROUTE

DESCRIPTION: Bridge removal and replacement along with related approach  
work including hot mix asphalt, guardrail and slope  
restoration on County Road A 26 at Ford River, Delta County.

CLASSIFICATION RATINGS

Misc = 6.211 %	N2 = 0.228 %	Ea = 7.566 %	Cb = 3.137 %	N96L = 7.091 %
N3 = 0.209 %	I = 1.026 %	Fa = 67.384 %	Fb = 7.145 %	

CURRENT DBE GOAL: 5.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE:

1

LETTING DATE: 071102

CALL: 028

PROPOSAL 61400-90395	PROJECTS 90395A	FEDERAL NUMBER CMG 0761(028)	FED ITEM JJ2831	CTR. SEC. CMG 61400	WORK TYPE Miscellaneous
90395A	LOCATION Grand Haven Road at Sternberg Road			ROUTE	

DESCRIPTION: Traffic signal upgrade and interconnect on Grand Haven Road  
at Sternberg Road in the city of Norton Shores, Muskegon  
County.

CLASSIFICATION RATINGS

Misc = 25.137 %      N3 = 0.711 %      I = 0.177 %      Ea = 0.071 %      L = 73.901 %

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE:

1

LETTING DATE: 071102

CALL: 029

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
23021-100227	100227A	STP 0723(326)	HH5183	ST 23021	Miscellaneous
100227A		LOCATION M-79 from 625 feet east of M-66 to 167 feet east of High			ROUTE M-79

DESCRIPTION: 12.81 mi of paver placed surface seal and aggregate shoulders on M-79 from east of M-66 to east of High Street in the city of Charlotte, Barry and Eaton Counties. This project includes a 3 year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 6.765 %      Ea = 3.503 %      K = 0.144 %      N93A = 0.916 %      Cb = 82.619 %  
N93E = 4.247 %      N3 = 1.804 %

CURRENT DBE GOAL: 5.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE:

1

LETTING DATE: 071102

CALL: 030

PROPOSAL 73021-100123	PROJECTS 100123A	FEDERAL NUMBER STP 0773(038)	FED ITEM HH5201	CTR. SEC. STT 73021	WORK TYPE Preventive Maintenance
100123A	LOCATION M-57 from Stuart Road. easterly to Gasper Road and M-54 from Dixie Highway easterly to Gera Road			ROUTE M-57 M-54	

DESCRIPTION: 2.00 mi of concrete joint repairs and crack and joint  
sealing on M-57 from Stuart Road easterly to Gasper Road  
and on M-54 from Dixie Highway easterly to Gera Road,  
Saginaw County.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 14.918 %	Ea = 20.548 %	Cb = 29.466 %	B = 1.440 %	N93F = 0.391 %
Ba = 32.692 %	N3 = 0.541 %			

CURRENT DBE GOAL: 3.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 031

PROPOSAL 46400-100221	PROJECTS 100221A	FEDERAL NUMBER CM 0746(019)	FED ITEM RR5786	CTR. SEC. CM 46400	WORK TYPE Miscellaneous
100221A	LOCATION Michigan Avenue along former DT&I Railroad to Division Avenue				ROUTE

DESCRIPTION: 0.52 mi of bicycle path aggregate, hot mix asphalt paving,  
earthwork, and sidewalk ramp construction on Michigan Avenue  
along the former DT & I Railroad to Division Avenue in the  
city of Adrian, Lenawee County.

CLASSIFICATION RATINGS

Misc = 23.217 %      J    = 4.798 %      Ea   = 41.803 %      Cb   = 28.410 %      N6   = 1.630 %  
N3   = 0.140 %

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 032

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
23812-100223	100223A	STP 0723(327)	HH5185	ST 23812	Miscellaneous
100223A	LOCATION Old US-27 (Lansing Road) from Creyts Road to Main St				ROUTE OLD US-27

DESCRIPTION: 3.82 mi of paver placed surface seal on Old US-27  
(Lansing Road) from east of Creyts Road northeasterly to  
west of Main Street, Eaton and Ingham counties. This  
project includes a 3 year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 7.684 %      Ea = 1.437 %      N93A = 1.135 %      Cb = 84.417 %      N93E = 3.881 %  
N3 = 1.443 %

CURRENT DBE GOAL: 3.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 033

PROPOSAL 18034-100143	PROJECTS 100143A	FEDERAL NUMBER NH 0718(016)	FED ITEM HH5190	CTR. SEC. NH 18034	WORK TYPE Preventive Maintenance
100143A	LOCATION US-127 northbound and southbound from north of Mannsiding Road to south of Long Lake Road.				ROUTE US127

DESCRIPTION: 9.90 mi of hot mix asphalt coldmilling, overlay, and  
chip seal including shoulder work, guardrail, and  
pavement markings on US-127 from south of M-61 northerly  
to south of Long Lake Road, Clare County. This project  
includes a 3 year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 10.122 %	Ea = 4.300 %	N93A = 8.027 %	Cb = 53.819 %	Ca = 19.286 %
N96L = 1.450 %	N3 = 2.186 %	I = 0.805 %		

CURRENT DBE GOAL: 7.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE:

1

LETTING DATE: 071102

CALL: 034

PROPOSAL 47041-100032	PROJECTS 100032A	FEDERAL NUMBER MG 0747(030)	FED ITEM HH5180	CTR. SEC. MG 47041	WORK TYPE Preventive Maintenance
100032A	LOCATION M-36, East village limits of Pinckney to Fieldcrest				ROUTE M-36

DESCRIPTION: 10.10 mi of ultra-thin overlay on M-36 from the east village limits of Pinckney easterly to Fieldcrest Drive, Livingston County. This project includes a two year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 7.600 %      Ea = 19.825 %      N93A = 0.252 %      Cb = 63.615 %      N93E = 5.214 %  
N3 = 3.492 %

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 035

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
82544-86170	86170A	EBSL 0782(155)	RR6046	EDCF 82544	Road Rehabilitation
86170A		LOCATION On Livernois Avenue from Grand River Avenue to McNichols			ROUTE

DESCRIPTION: 1.83 mi of concrete pavement, hot mix asphalt, concrete curb, sidewalk and sidewalk ramp construction on Livernois Avenue from Davison Road to McNichols Road in the city of Detroit, Wayne County.

CLASSIFICATION RATINGS

Misc = 35.567 %	Ea = 9.537 %	K = 0.613 %	Cb = 7.921 %	B = 4.972 %
Ba = 0.486 %	J = 23.062 %	N6 = 0.002 %	N3 = 2.057 %	H = 0.726 %
I = 1.521 %	N/A = 0.167 %	L = 13.360 %	L = 13.360 %	

CURRENT DBE GOAL: 10.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE:

1

LETTING DATE: 071102

CALL: 036

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
63052-100416	100416A	CMG 0763(072)	JJ2808	CMG 63052	Miscellaneous
100416A		LOCATION Orchard Lake Road from Commerce Road northeast to Old Telegraph Road			ROUTE

DESCRIPTION: Traffic signal upgrades at six locations on Orchard Lake  
Road from Commerce Road northeasterly to Old Telegraph  
Road in the cities of Orchard Lake Village, Keego Harbor,  
Sylvan Lake, and Pontiac, Oakland County.

CLASSIFICATION RATINGS

Misc = 6.545 %      J = 17.036 %      Ea = 1.243 %      I = 0.023 %      L = 75.150 %

CURRENT DBE GOAL: 5.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 037

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
63101-101048	101048A	N/A	N/A	MER 63101	Bridge Rehabilitation
101048A		LOCATION City of Farmington Hills			ROUTE I-696

DESCRIPTION: Emergency bridge removal and maintaining traffic on I-696  
under the pedestrian bridge east of Orchard Lake Road in  
the city of Farmington Hills, Oakland County.

CLASSIFICATION RATINGS

Misc = 59.530 %

Fa = 40.213 %

N96M = 0.256 %

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE:

1

LETTING DATE: 071102

CALL: 038

PROPOSAL 84909-M00212	PROJECTS M00212	FEDERAL NUMBER N/A	FED ITEM N/A	CTR. SEC. M 84909	WORK TYPE Miscellaneous
M00212	LOCATION All Freeways in Wayne County				ROUTE Various Freeways

DESCRIPTION: Routine and preventive maintenance of MDOT-owned freeway lighting countywide on M-8 (Davison Freeway), M-10, M-39, I-75, I-94, I-96, I-275, and I-375 in the cities of Allen Park, Dearborn, Dearborn Heights, Detroit, Hamtramck, Harper Woods, Highland Park, Lincoln Park, Livonia, Melvindale, Romulus, and Southgate, Wayne County.

CLASSIFICATION RATINGS

L = 100 %

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 039

PROPOSAL 21609-78214	PROJECTS 78214A	FEDERAL NUMBER STP 0721(317)	FED ITEM RR6009	CTR. SEC. STH 21609	WORK TYPE Safety Operations
78214A	LOCATION County Road 513 from 0.96 mile south of New Wilsey Bay Road to New Wilsey Bay Road				ROUTE

DESCRIPTION: 0.96 mi of hot mix asphalt crushing and shaping, earth excavation, embankment, aggregate base, hot mix asphalt paving, super-elevation modification, and slope restoration on CR-513 Road south of New Wilsey Bay Road northerly in Bay De Noc Township, Delta County.

CLASSIFICATION RATINGS

Misc = 10.678 %	Ea = 32.571 %	N92D = 8.200 %	Cb = 41.261 %	N96M = 0.299 %
I = 6.727 %	L = 0.262 %			

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE:

1

LETTING DATE: 071102

CALL: 040

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
23061-90320	90320A	IM 0723(325)	KK1782	IM 23061	Preventive Maintenance
90320A		LOCATION I-69 Northbound and Southbound			ROUTE I-69

DESCRIPTION: 21.51 mi of concrete pavement repairs on I-69 northbound and southbound north of the I-94 ramps northerly to Island Highway, Calhoun and Eaton Counties.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 10.381 %      Ea = 0.705 %      B = 1.535 %      Ba = 68.042 %      N3 = 19.334 %

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 041

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
41131-90088	90088A	NH 0741(103)	HH5209	NH 41131	Preventive Maintenance
90088A		LOCATION South of US-131 44th St. Interchange to north of US-131 2 St. Interchange			ROUTE US-131

DESCRIPTION: 2.52 mi of cold milling and one course hot mix asphalt resurfacing on the mainline and selected ramps from south of the US-131 and 44th Street interchange northerly to north of the US-131 and 28th Street interchange in the city of Wyoming, Kent County. This project includes a three year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 10.719 %      N93A = 12.130 %      Cb = 74.029 %      N3 = 2.486 %      L = 0.633 %

CURRENT DBE GOAL: 5.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 042

PROPOSAL 62031-90129	PROJECTS 90129A	FEDERAL NUMBER STP 0762(011)	FED ITEM HH5202	CTR. SEC. STT 62031	WORK TYPE Preventive Maintenance
90129A	LOCATION City of Newaygo				ROUTE M-37

DESCRIPTION: 1.61 mi of cold milling and resurfacing with joint repair on M-37 from the south junction of M-82 and M-37 northerly to the Muskegon River bridge in the city of Newaygo, Newaygo County. This project includes a three year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 12.442 %	N93A = 10.182 %	N93G = 2.170 %	Cb = 56.261 %	N6 = 0.088 %
N3 = 18.743 %	K = 0.110 %			

CURRENT DBE GOAL: 5.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE:

1

LETTING DATE: 071102

CALL: 043

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
82609-86129	86129A	STP 0782(163)	RR6077	STH 82609	Safety Operations
86129A		LOCATION Rosa Park from Lonyo Road at Cronk road to Southfield Road at Borman Road			ROUTE

DESCRIPTION: Installation of impact attenuators and solar power flashing  
beacons at 15 locations on Rosa Parks Boulevard from  
Lonyo Road at Cronk Road to Southfield Road at Borman Road  
in the city of Detroit, Wayne County.

CLASSIFICATION RATINGS

Misc = 12.698 %      Ea = 1.141 %      Cb = 0.211 %      B = 0.438 %      Ba = 73.973 %  
L = 11.536 %

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE:

1

LETTING DATE: 071102

CALL: 044

PROPOSAL 82121-83657	PROJECTS 83657A	FEDERAL NUMBER STP 0782(142)	FED ITEM RR5990	CTR. SEC. STE 82121	WORK TYPE Roadside Facilities
83657A	LOCATION Seven Mile Road from Carman Avenue easterly to John R. Ro				ROUTE

DESCRIPTION: 0.34 mi of streetscape improvements including concrete curb, gutter, and sidewalk, trees, tree grates, and other amenities on Seven Mile Road from Carman Avenue easterly to John R Road in the city of Detroit, Wayne County.

## CLASSIFICATION RATINGS

Misc = 16.856 %	Ea = 2.107 %	K = 5.098 %	N93A = 0.030 %	Cb = 4.415 %
B = 3.642 %	Ba = 0.061 %	J = 28.610 %	Fa = 0.128 %	N96M = 4.289 %
N6 = 0.230 %	N3 = 0.379 %	H = 30.557 %	H = 30.557 %	I = 0.074 %
L = 3.518 %				

CURRENT DBE GOAL: 10.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 045

PROPOSAL 01052-90178	PROJECTS 90178A	FEDERAL NUMBER NH 0701(008)	FED ITEM HH5200	CTR. SEC. NH 01052	WORK TYPE Preventive Maintenance
90178A	LOCATION From north of Lakeshore Dr to Everett Road and From south of Black River Road to Sayers Road				ROUTE US-23

DESCRIPTION: 5.28 mi of crack sealing and hot mix asphalt ultra-thin surfacing on US-23 from north of Lakeshore Drive to south of Everett Road and from south of Black River Road to south of Sayers Road in Haynes and Alcona Townships, Alcona County. This project includes a 2 year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 12.244 %      Ea = 4.037 %      N93E = 6.989 %      Cb = 75.040 %      N3 = 1.688 %

CURRENT DBE GOAL: 3.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 046

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
81011-100025	100025A	MG 0781(036)	HH5181	MG 81011	Miscellaneous
100025A		LOCATION Sibley to Roepke, Sylvan & Lyndon Twp., Washtenaw County			ROUTE M-52

DESCRIPTION: 5.57 mi of double microsurfacing overlay on M-52 from Sibley Road to Roepke Road in the city of Chelsea, Washtenaw County. This project includes a two year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 15.266 %      N93E = 8.696 %      N93I = 72.002 %      N3 = 4.035 %

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 047

PROPOSAL 48033-100459	PROJECTS 100459A	FEDERAL NUMBER NH 0748(009)	FED ITEM HH5213	CTR. SEC. NH 48033	WORK TYPE Preventive Maintenance
100459A	LOCATION From Mackinac/Luce County line to M-28				ROUTE M-117

DESCRIPTION: 4.49 mi of double chip seal with overband crack fill, aggregate shoulders, pavement markings, thermoplastic snowmobile crossing and monument preservation on M-117 from the Luce/Mackinac County line northerly to just south of M-28 in Pentland Township, Luce County. This project includes a two year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 9.960 %      Ea = 8.185 %      N93E = 7.305 %      Ca = 69.151 %      N3 = 5.396 %

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 048

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
83033-87034-2	87034A	NH 0783(011)	HH4900	NH 83033	Preventive Maintenance
87034A		LOCATION US-131; from south of US-131BR to south of Boon Road			ROUTE US-131

DESCRIPTION: 5.46 mi of hot mix asphalt ultra thin overlay on US-131  
northbound from south of US-131BR to south of Boon  
Road in the city of Cadillac, Wexford County. This project  
includes a 2 year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 11.671 %      N93E = 9.572 %      Cb = 73.440 %      N3 = 5.315 %

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 049

PROPOSAL 83033-90198	PROJECTS 90198A	FEDERAL NUMBER N/A	FED ITEM N/A	CTR. SEC. M 83033	WORK TYPE Preventive Maintenance
90198A	LOCATION US-131; from south of US-131 BR to south of Boon Road				ROUTE US-131

DESCRIPTION: 5.46 mi of single course microsurfacing on US-131 southbound from south of US-131BR to south of Boon Road in the city of Cadillac, Wexford County. This project includes a 2 year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 14.334 %      N93E = 7.337 %      N93I = 68.383 %      N3 = 9.944 %

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
 COST SUMMARIES FOR PRIMES  
 COST SUMMARY BY LETPROP(PES)  
 STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 050

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
30071-80349	80349A	NH 0730(016)	HH5184	NH 30071	Preventive Maintenance
	80350A	NH 0730(015)	HH5182	NH 30071	Preventive Maintenance
		LOCATION			ROUTE
80349A		US-127, 803 over Bean Creek (1.70 miles south of Hudson)			US-127
80350A		US-127, 804 over Bean Creek (2.40 miles south of Hudson)			US-127

DESCRIPTION: Deep concrete overlay, full painting of structural steel, substructure concrete patching and scour countermeasures on US-127 over Bean Creek, Lenawee County. This project includes a 2 year bridge painting warranty.

## CLASSIFICATION RATINGS

Misc = 33.528 %	Ea = 7.743 %	N94B = 0.031 %	K = 0.214 %	N93A = 0.801 %
Cb = 2.684 %	B = 5.000 %	Ba = 0.171 %	J = 0.594 %	N96L = 1.885 %
N3 = 0.536 %	I = 0.370 %	Fa = 3.073 %	Fa = 3.073 %	Fb = 0.450 %
N91A = 11.455 %	N91C = 10.444 %	N91F = 67.179 %	N91E = 0.078 %	N4 = 16.409 %

CURRENT DBE GOAL: 3.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 051

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
73073-85145	85145A	STPG 0773(032)	JJ2880	STG 73073	Traffic Operations
85145A		LOCATION M-58 at three location in Saginaw County			ROUTE M85

DESCRIPTION: 6.14 mi of non-freeway signing upgrades on M-58 from the north I-675 ramp (Davenport Avenue) to the M-58/State Street split, on Michigan Avenue from M-58 (State Street) to the north I-675 ramp, and on Hill Street from M-58 (State Street) to the south I-675 ramp in the city of Saginaw, Saginaw County.

CLASSIFICATION RATINGS

Misc = 23.839 %      N6 = 75.896 %      L = 0.263 %

CURRENT DBE GOAL: 0.00

DATE: 10/17/07

MICHIGAN DEPARTMENT OF TRANSPORTATION  
COST SUMMARIES FOR PRIMES  
COST SUMMARY BY LETPROP(PES)  
STATEWIDE

PAGE: 1

LETTING DATE: 071102

CALL: 052

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
33010-100549-2	100549A	HPSL 0733(042)	RR5773	HPSL 33010	Preventive Maintenance
100549A		LOCATION Farm Lane, both north, Canadian National, and south, CSX Transportation, at grade railroad crossings			ROUTE

DESCRIPTION: Advance purchase of structural steel for the proposed CSX and Canadian National railroad bridges over Farm Lane on the campus of Michigan State University in the city of East Lansing, Ingham County.

CLASSIFICATION RATINGS

Fa = 99.002 %

Misc = 0.997 %

CURRENT DBE GOAL: 0.00

## LIST OF NON\_FEDERAL CONTRACTS

LETTING DATE	CALL	PROPOSAL	FEDERAL NUMBER	LOCATION
071102	026	73021-84129	N/A	Southeast Quadrant M-47/Garfield Road and Northwest Quadrant
071102	037	63101-101048	N/A	City of Farmington Hills
071102	038	84909-M00212	N/A	All Freeways in Wayne County
071102	049	83033-90198	N/A	US-131; from south of US-131 BR to south of Boon Road